



www.atlasheatingsupplies.co.uk

5th to 31st August 2019

BAX

Baxi 600 Combi

624 Combi with Standard Flue 7222019

661.00*

630 Combi with Standard Flue 7222019

737.00*

636 Combi

861.00*



*PRICES ARE NETT/NETT TRADE

MAIN

NEW LOWER PRICES!

Main Eco Compact Combi

25kW

487.00*

Eco Compact Combiwith Standard Flue 7222019

30kW

V 537.00*

Eco Compact Combi with Standard Flue 7222019



*PRICES ARE NETT/NETT TRADE

PRICES SHOWN ARE EXCLUDING VAT

prices subject to availability and/or to any manufacturers price increases







Greenstar CDi compact

COMBINATION BOILER

28cDi Compact Combi 7733600054

959.00*

32CDi Compact Combi 7733600055

1049.00*

36CDi Compact Combi 7733600056

1149.00*





Standard Flue 7716191082

69.00*

*PRICES ARE NETT/NETT TRADE





High Performance Magnetic Filter **BM22**

BoilerMag Filter 22mm

BM28

BoilerMag Filter 28mm

59.00

69.00





by Schneider Electric



LP10+3RF

wireless programmable room thermostat for Worcester boilers

89.99



LP20RF

Programmer & RF room thermostat for Worcester boilers







COMBINATION BOILER



TORSHER !

25i COMBINATION BOILER 780.00*

COMBINATION BOILER 7733600005 880_00*



69.00*



*PRICES ARE NETT/NETT TRADE







Greenstar Si compact

COMBINATION BOILER

25Si compact Combi 7733600050 30Si compact Combi 7733600052 1019.00*

847.00*



Standard Flue 7716191082

69_{-00*}

*PRICES ARE NETT/NETT TRADE











9Ri Regular Boiler 7733600306	679.00*
12Ri Regular Boiler 7733600307	679.00*
15Ri Regular Boiler 7733600308	699.00*
18Ri Regular Boiler 7733600309	735.00*
21Ri Regular Boiler 7733600310	790.00*
24Ri Regular Boiler 7733600311	790.00*
27Ri Regular Boiler 7733600064	885.00*
30Ri Regular Boiler 7733600066	925.00*
Standard Flue 7716191082	69 .00*

*PRICES ARE NETT/NETT TRADE



Greenstore

UNVENTED CYLINDER



SC-90 cylinder 7716191082 514.99*
SC-120 cylinder 7716191082 535.00*
SC-150 cylinder 7716191082 560.00*

SC-180 cylinder 7716191082 500.00* 603.00*

SC-210 cylinder 7716191082 630.00*

SC-250 cylinder 7716191082 699.00*

SC-300 cylinder 7716191082 780.00*

*PRICES ARE NETT/NETT TRADE



Controls & Accessories



















ecoTEC plus

combination boiler

ecoTEC plus 825 945.00*

ecoTEC plus 8321049.00*

ecoTEC plus 835 1110.00*

ecoTEC plus 838 1180.00*

Std horizontal flue

0020219517

70.00*

year WARRANTY advance

when registered through **■Vaillant**





ecoTEC exclusive with Green iQ High efficiency combination boiler

835 exclusive IQ combi

1245.00*

843 exclusive IQ combi

1449.00*

Std Horiz. Flue 0020219517

70.00*

WARRANTY when registered through **W**Vaillant advance

7 year

* PRICES SHOWN ARE NETT/NETT TRADE



ecoFIT pure

combination boiler

ecoFIT pure 825 695.00*

ecoFIT pure 830

795.00*

ecoFIT pure 835

895.00*

Std horizontal flue

0020219517

70.00*



* PRICES SHOWN ARE NETT/NETT TRADE



Boiler Protection Kit



TURN YOUR SUARANTEE UP

22mm Boiler Protection Kit 0020278309

125.00*

28mm Boiler Protection Kit 0020278310

155.00*

- Extended 10 year guarantee available on ecoTEC plus and ecoTEC exclusive boilers, when installed with the Boiler Protection Kit and registered through Vaillant Advance
- Proven technology to give reliable central heating system protection
- Long working life guaranteed for the life of the boiler
- Easy installation and simple maintenance which saves time and money
- The automatic filtration system protection, helps to cut your energy bills



E-Tec Plus 28 combi E-Tec Plus 33 combi

Telescopic EasyFlue 500mm

PremierPack Extra 3.028667 (extends warranty by 3 years)

645.00*

725.00*

45.00*

159.00*

*PRICES ARE NETT/NETT TRADE



Murelle ADVANCED HE COMBINATION BOILER

ADVANCED HE 30Combi c/w Std Horizontal Flue

595.00*

ADVANCED HE 40Combi c/w Std Horizontal Flue

725.00*

ADVANCED HE 30
Combi c/w Vertical Flue

645.00*

ADVANCED HE 40

Combi c/w Vertical Flue

775.00*



*PRICES ARE NETT/NETT TRADE



Mini BF ErP

ON-DEMAND WATER HEATER

Mini BF Erp c/w Std Horizontal Flue 8099301

299_{.00*}



Technical Specifications

Width	345mm
Height	570mm
Depth	150mm
Weight	15.7 kg
DHW flow rate @ 25 °C	12 <mark>L/min</mark>
DHW load profile	М
Heat output	21 kW

*PRICES ARE NETT/NETT TRADE









SILVER learning thermostat



COPPER learning thermostat



BLACK learning thermostat



WHITE learning thermostat

155.00* 165.99* 165.99* 165.99*

*PRICES ARE NETT/NETT TRADE





Professional 2

22_{mm} Magnaclean **Professional 2**





Cyclone Un-Vented Cylinders





90 L Cyclone DIRECT TCEMVD-0090LFB	325.00
125 L Cyclone DIRECT TCEMVD-0125LFB	330.00
150 L Cyclone DIRECT TCEMVD-0150LFB	339.00
170 L Cyclone DIRECT TCEMVD-0170LFC	349.00
200 L Cyclone DIRECT TCEMVD-0200LFC	379.00
250 L Cyclone DIRECT TCEMVD-0250LFC	419.00
300 L Cyclone DIRECT TCEMVD-0300NFC	485.00



Cyclone INDIRECT un-vented cylinder

125 L Cyclone INDIRECT TCEMVI-0125LFB	375.00
150 L Cyclone INDIRECT TCEMVI-0150LFB	385.00
170 L Cyclone INDIRECT TCEMVI-0170LFB	395.00
200 L Cyclone INDIRECT TCEMVI-0200LFC	415.00
250 L Cyclone INDIRECT TCEMVI-0250LFC	450.00
300 L Cyclone INDIRECT TCEMVI-0300NFC	499.00



















ULTRAHEAT

COMPACT 4 RADIATORS

LIST LESS

82%







PRO 8/10/15mm Angled Thermostatic Radiator Valve

5.99







500ml F1 Protector

8.33



500ml F3 Cleaner

8.33

F1 + F3 Promotion



only 15.99

ACCESS PANELS







29.95

APS100 100 x 150mm 8.32 APS150 150 x 230mm 9.99 APS200 200 x 200mm 10.99 APS300 300 x 300mm 14.95 APS350 350 x 350mm 15.95

APS560 560 x 560mm

FIRE RATED ACCESS PANELS



FRPS1 300 x 300mm 69.99 FRPS2 450 x 450mm 85.00 FRPS3 600 x 600mm 99.00

BLACK PUSH-FIT SOIL PIPE & FITTINGS



110mm PUSH-FIT SOIL

3M Pipe-single socket

10.95



110mm PUSH-FIT SOIL

Double pipe coupler

4.99

110mm PUSH-FIT SOIL

92.5_{deg} Bend -single socket

5.99

Poly PUSH-FIT

90deg Elbow

 $0.90 \ 0.95$

Poly PUSH-FIT

90 deg Equal Branch

 $0.90 \ 0.95$

40mm

40mm

32mm

32mm



110mm PUSH-FIT SOIL

92.5_{deg} Bend -double socket

7.99

110mm PUSH-FIT SOIL

92.5deg Branch

8.99



BLACK PUSH-FIT WASTE PIPE & FITTINGS

BLACK SOLVENT-WELD

WASTE PIPE & FITTINGS



Poly PUSH-FIT 3M Pipe

32mm

40mm

2.25 2.75

> Poly PUSH-FIT Straight coupling 32mm 40mm



 $0.90 \ 0.95$




Poly PUSH-FIT 135deg Bend


32mm

40mm

0.90 0.95







0.65

ABS SOLVENT WELD 90deg Elbow 32mm 40mm

0.60 0.65



0.60

ABS SOLVENT WELD 135deg Bend 32mm 40mm

0.60 0.65



ABS SOLVENT WELD 90 deg Equal Branch 32mm 40mm

0.80 0.85

PERFECT LEVEL MASTER

FAST TILE LEVELING SYSTEM







1mm 6-14mm thick **29.00**

2mm 6-14mm thick **29.00**

3mm 6-14mm thick **29.00**





1mm 6-14mm thick **46.00**

2mm 46.00

3mm 6-14mm thick **46.00**





AQUADART
ENCLOSURES AND TRAYS*

50% OFF RRP

EXTRA

10% OFF

WHEN ENCLOSURE AND TRAY PURCHASED TOGETHER*

*Does not include Aqualavo Slate Trays



1st July until 31st August 2019

VitrA S20



S20 55cm 1TH Basin with Full Pedestal (tap not included) 80400090

62.00



S20

CC Open back WC SET with STANDARD SEAT 133.00 80400092

S20

CC Open back WC SET with SOFT-CLOSE SEAT 153.00 80400094

VirrA S20 Comfort Height (460mm) WC Set



S20

Comfort Height WC SET 453.00 with STANDARD SEAT 80400101

S20

Comfort Height WC SET 173.00 with SOFT-CLOSE SEAT 80400102





Sandringham 21 Close-coupled WC

Close-coupled WC Pan E896301

39.99

Close-coupled Cistern (lever) E896801

42.99

Standard Seat & Cover E131601

15.00



VitrA

Milton Takeaway Toilet Pack

Close-coupled WC Pan, Cistern with Seat

65.00



VirrA Milton

55cm 1TH Basin (tap not included)

19.16

55cm 2TH Basin (tap not included)

19.16

Full Pedestal

16.66

Close-coupled WC Pan (seat extra)

31.66

Close-coupled Cistern



Shower Pumps





CT 55 Xtra 1.5 bar single 99.00

CT 50 Xtra 109.00

CT 85 Xtra 125.00 2.5 bar single

CT 75 Xtra 136.00 2.0 bar twin



















Showers















Kitchen Taps



Manhatten MH SNK EF C

54.17



Cashew CHS EFSNK C

55.00



Raspberry RSP EFSNK C

58.33



Blueberry BLB SNK EF C

58.33



Echo EC SNK EF C

62.50



Quest

79.33



Monza MZ SNK EF C

83.32



Target TG SNK C





7 TEMPERATURE SETTINGS

Why make do with one temperature? Our Rapid 3-in-1 delivers 7, so users get exactly the temperature they need. Choose from 75°C, 85°C, 90°C, 95°C, 96°C, 97°C or 98°C.

INCREASE YOUR WORKSPACE

Get rid of the kettle and lose more kitchen clutter. Or at the very least create space for something more useful.

COOL TO THE TOUCH

No chance of our tap getting too hot. All boiling water is stored in the tank, not the tap, so the spout stays cool.

SAFE TO USE

Kettles are heavy when full. Plus they can splash and splutter. Getting boiling water from the Rapid 3-in-1 is perfectly safe – simply push a button then turn the dedicated handle.

QUICK & QUIET

Boiling water is available from its 2.4-litre tank almost instantly. And because it isn't boiling from cold, it's quieter too.

BRISTAN TAPS & SHOWERS

RAPID 3 IN 1 BOILING WATER TAP







Easy To Install



RIGOROUSLY TESTED

Our instant boiling water tap has undergone extensive lifecycle testing, both by our UKAS 17025 accredited test lab and consumer user trials, so we believe in every component.



EASY TO INSTALL

The Rapid 4 in-1 Boiling Water Tap can be installed with minimal fuss. The tap will replace any existing tap hole and the accompanying tank is compact enough to fit underneath most kitchen worktops.



ALL IN ONE NEAT BOX

You'll like the fact that everything you need to install the Rapid 4-in-1 Boiling Water Tap in one, neat box. While your customers will appreciate the adjustable temperature settings and built-in Pressure Reducing Valve (PRV) for safety.



UNIQUE FILTER SYSTEM

With the simple touch of a button, fresh, purer tasting water is dispensed; with calcium, magnesium and other impurities being removed by the space-saving filter cartridge located under the sink.



RAPID 4 IN 1 BOILING WATER TAP

4-in-1 Boiling Water Tank

DELABIE



PREMIX NANO - REF 732115

Thermostatic mixing valve - nickel plated

Hot water thermostatic mixing valve for mixed water distribution. For 1 to 2 taps or 1 shower.

Non-return valves and filters.

Anti-scalding safety: automatic shut-off if hot or cold water fails.



49.00



PREMIX NANO - REF 732116

Thermostatic mixing valve - chrome plated

Hot water thermostatic mixing valve for mixed water distribution. For 1 to 2 taps or 1 shower.

Non-return valves and filters.

Anti-scalding safety: automatic shut-off if hot or cold water fails.



57.50



SPORTING 2 - REF 714700 Shower panel

Adjustable connector for top or back inlet Soft-touch operation
Time flow ~30 sec
Flow rate 6 lpm at 3 bar



135.00



SECURITHERM - REF H9632 + 790BOX

Sequential shower + recessed shower box

Single control thermostatic shower mixer with no non-return valve (reduces bacterial proliferation).

Waterproof recessing housing behind a bright polished stainless steel cover plate 160 x 220mm.



253.00



ROUND - REF 709000 Shower head

Flow rate 6 lpm at 3 bar Chrome-plated brass.

Systematically drains after use (no water retention or impurity deposits).



64.00



TONIC JET - REF 712000 Shower head

Flow rate 6 lpm at 3 bar Chrome-plated brass. Systematically drains after use (no water retention or impurity deposits).



DELABIE



FLOOR TRAP - REF 683001UK

Adjustable height floor trap 150 x 150mm

For tiles or concrete floors
Flow rate 36 lpm (standard).
Integrated waterproof collar to seal waterproof membrane.
110mm high, adjusts up to 70mm with extension.



54.00



TEMPOSOFT 2 - REF 740500 Timed flow tap

Deck-mounted time flow basin tap.

Soft-touch operation.

Time flow ~7 seconds.

Tamperproof scale-resistant flow straightener.

49.00








AB anti-blocking system: water only flows when push-button is released after push.


Fixing reinforced by 3 stainless steel screws.

Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.5 to 6 lpm.

55.00



Thermostatic sequential basin mixer







TEMPOMATIC 4 - REF 44000615 Electronic tap

Battery-operated with integrated 223 6V Lithium battery. Anti-blocking safety.

Duty flush (~60 sec. every 24h after last use). Sensor at the end of the spout optimises detection.





TEMPOMIX - REF 79500015

Timed flow basin mixer

Deck-mounted time flow basin mixer Soft-touch operation.

Time flow ~7 seconds.

Tamperproof scale-resistant flow straightener.



NEW LOWER PRICES!



Megaflo eco

DIRECT & INDIRECT UNVENTED CYLINDERS

eco 70D Direct

eco 125DD Direct

eco 145DD Direct

eco 170DD Direct

eco 210DD Direct

eco 250DD Direct

eco 300DD Direct

eco 70i Indirect

eco 125i Indirect

eco 145i Indirect

eco 170i Indirect

eco 210i Indirect

eco 250i Indirect

eco 300i Indirect

460.00

530.00

630.00

675.00

730.00

799.00

1056.00

585.00

645.00

740.00

780.00

850.00

945.00

1030.00









Manchester

Newton Street Stretford M32 8LS

0161 865 1133

Huddersfield

Albert Street Lockwood HD1 3QF

01484 428191

Warrington

199 Warrington Rd Penketh WA5 2RX

01925 720210

Trade Counter

Monday to Friday 8.00am to 5.00pm Saturday

8.00am to 12.00pm